Author Index

Abraham, D., see Mok, M., 173
Adeoye, G.O., see Doenhoff, M.J., 233
Akué, J.-P., see Egwang, T.G., 251, 263
Anders, R.F., see Coppel, R.L., 223
Anders, R.F., see Triglia, T., 199
Archer, S., see Pica-Mattoccia, L., 87

Bacchi, C.J., see Yarlett, N., 1
Barnard, B.J., see Karcz, S.R., 163
Barnard, J.P. and Pedersen, P.L.
Purification in a single step and kinetic characterization of the pyruvate kinase of *Trypanosoma brucei*, 141
Bates, P.A., see Gardner, M.J., 11
Beach, D.H., Goad, L.J. and Holz, G.G., Jr.
Effects of antimycotic azoles on growth and sterol biosynthesis of *Leishmania* promastigotes, 149
Beecroft, R.P., see Richardson, J.P., 203
Booth, R.G., see Sirawaraporn, W., 79
Borst, P., see Crozatier, M., 127

Choi, I. and Mego, J.L.
Purification of *Plasmodium falciparum* digestive vacuoles and partial characterization of the vacuolar membrane ATPase, 71
Cioli, D., see Pica-Mattoccia, L., 87
Cooney, D.A., see Finley, R.W., 133
Coppel, R.L., Lustigam, S., Murray, L. and Anders, R.F.
MESA is a *Plasmodium falciparum* phosphoprotein associated with the erythrocyte membrane skeleton, 223
Crewther, P.E., see Triglia, T., 199
Crozatier, M., De Brij, R.J., Den Engelse, L., Johnson, P.J. and Borst, P.
Nucleoside analysis of DNA from *Trypanosoma brucei* and *Trypanosoma equiperdum*, 127
Curtis, R.H.C., see Doenhoff, M.J., 233

Dargatz, H., see Köster, B., 183
De Brij, R.J., see Crozatier, M., 127
Den Engelse, L., see Crozatier, M., 127
Doenhoff, M.J., Modha, J., Curtis, R.H.C. and Adeoye, G.O.
Immunological identification of *Schistosoma mansoni* peptidases, 233
Donelson, J.E., Duke, B.O.L., Moser, D., Zeng, W., Erondu, N.E., Lucius, R., Renz, A., Karam, M. and Zea Flores, G.
Construction of *Onchocerca volvulus* cDNA libraries and partial characterization of the cDNA for a major antigen, 241
Duke, B.O.L., see Donelson, J.E., 241
Dupont, A., see Egwang, T.G., 251, 263
Dvorak, J.A., Engel, J.C., Leapman, R.D., Swyt, C.R. and Pella, P.A.
Trypanosoma cruzi: elemental composition heterogeneity of cloned stocks, 19
Dvorak, J.A., see Finley, R.W., 133

Edwards, M.R., see Gilroy, F.V., 107
Egwang, T.G., Akué, J.-P., Dupont, A. and Pinder, M.
The identification and partial characterization of an immunodominant 29–31 kilodalton surface antigen expressed by adult worms of the human filaria *Loa loa*, 263
Egwang, T.G., Dupont, A., Akué, J.-P. and Pinder, M.
Biochemical and immunochemical characterization of surface and excretory–secretory antigens of *Loa loa* microfilariae, 251
Engel, J.C., see Dvorak, J.A., 19
Erondu, N.E., see Donelson, J.E., 241

Finley, R.W., Cooney, D.A. and Dvorak, J.A.
Nucleoside uptake in *Trypanosoma cruzi*: analysis of a mutant resistant to tubercidin, 133
Fong, D. and Lee, B.
Beta tubulin gene of the parasitic protozoan *Leishmania mexicana*, 97

Gardner, M.J., Bates, P.A., Ling, I.T., Moore, D.J., McCready, S., Gunasekera, M.B.R., Wilson, R.J.M. and Williamson, D.H.
Mitochondrial DNA of the human malarial parasite *Plasmodium falciparum*, 11
Garfinkel, L., see Huber, M., 27
Gilroy, F.V., Edwards, M.R., Norton, R.S. and O'Sullivan, W.J.
Metabolic studies of the protozoan parasite, *Crithidia luciliae*, using proton nuclear magnetic resonance spectroscopy, 107
Gitler, C., see Huber, M., 27
Goad, L.J., see Beach, D.H., 149
Gottstein, B., see Vogel, M., 117
Grieve, R.B., see Mok, M., 173
Gunasekera, M.B.R., see Gardner, M.J., 11

Haarmann, C., see Köster, B., 183
Hansch, C., see Sirawaraporn, W., 79
Haynes, J.D., see Miller, L.H., 217
Hirzmann, J., see Köster, B., 183
Holz, G.G., Jr., see Bach, D.H., 149
Huber, M., Garfinkel, L., Gitler, C., Mirelman, D., Revel, M. and Rozenblatt, S.
Nucleotide sequence analysis of an *Entamoeba histolytica* ferredoxin gene, 27
Hudson, D., see Miller, L.H., 217

Johnson, P.J., see Crozatier, M., 127

Karam, M., see Donelson, J.E., 241
Karcz, S.R., Barnard, B.J. and Podesta, R.B.
Biochemical properties of a 24 kilodalton membrane glycoprotein antigen complex from *Schistosoma mansoni*, 163
Kemp, D.J., see Triglia, T., 199
Kennedy, M.W., Tierney, J., Ye, P., McMonagle, F.A.,

McIntosh, A., McLaughlin, D. and Smith, J.W.
The secreted and somatic antigens of the third stage larva of *Anisakis simplex*, and antigenic relationship with *Ascaris suum*, *Ascaris lumbricoides*, and *Toxocara canis*, 35
Kunz, W., see Köster, B., 183
Köster, B., Dargatz, H., Schröder, J., Hirzmann, J., Haarmann, C., Symmons, P. and Kunz, W.
Identification and localisation of the products of a putative eggshell precursor gene in the vitellarium of *Schistosoma mansoni*, 183

Leapman, R.D., see Dvorak, J.A., 19
Lee, B., see Fong, D., 97
Ling, I.T. and Wilson, R.J.M.
Glucose-6-phosphate dehydrogenase activity of the malaria parasite *Plasmodium falciparum*, 47
Ling, I.T., see Gardner, M.J., 11
Liu, M.K., see Richardson, J.P., 203
Lucius, R., see Donelson, J.E., 241
Lustigman, S., see Coppel, R.L., 223

McCready, S., see Gardner, M.J., 11
McIntosh, A., see Kennedy, M.W., 35
McLaughlin, D., see Kennedy, M.W., 35
McMonagle, F.A., see Kennedy, M.W., 35
Mego, J.L., see Choi, I., 71
Miller, L.H., Hudson, D. and Haynes, J.D.
Identification of *Plasmodium knowlesi* erythrocyte binding proteins, 217
Mirelman, D., see Huber, M., 27
Modha, J., see Doenhoff, M.J., 233
Mok, M., Grieve, R.B., Abraham, D. and Rubin, W.
Solubilization of epicuticular antigen from *Dirofilaria immitis* third-stage larvae, 173
Moore, D.J., see Gardner, M.J., 11
Moser, D., see Donelson, J.E., 241
Murray, L., see Coppel, R.L., 223
Müller, N., see Vogel, M., 117

Neal, R.A., see Sirawaraporn, W., 79
Norton, R.S., see Gilroy, F.V., 107

O'Sullivan, W.J., see Gilroy, F.V., 107

Pearson, T.W., see Richardson, J.P., 203
Pedersen, P.L., see Barnard, J.P., 141
Pella, P.A., see Dvorak, J.A., 19
Pica-Mattoccia, L., Cioli, D. and Archer, S.
Binding of tritiated hycanthone and hycanthone *N*-methylcarbamate to macromolecules of drug-sensitive and drug-resistant schistosomes, 87
Pinder, M., see Egwang, T.G., 251, 263
Podesta, R.B., see Karcz, S.R., 163

Renz, A., see Donelson, J.E., 241
Revel, M., see Huber, M., 27
Rhoads, M.L.
Purification, characterization, and immunochemical studies of β-*N*-acetyl-D-hexosaminidase from the parasitic nematode *Trichinella spiralis*, 57
Richardson, J.P., Beecroft, R.P., Tolson, D.L., Liu, M.K. and Pearson, T.W.
Procyclin: an unusual immunodominant glycoprotein surface antigen from the procyclic stage of African trypanosomes, 203
Rozenblatt, S., see Huber, M., 27
Rudin, W., see Mok, M., 173

Santi, D.V., see Sirawaraporn, W., 79
Schröder, J., see Köster, B., 183
Seebeck, T., see Vogel, M., 117
Sertsrivanich, R., see Sirawaraporn, W., 79
Silva, A., see Triglia, T., 199
Sirawaraporn, W., Sertsrivanich, R., Booth, R.G., Hansch, C., Neal, R.A. and Santi, D.V.
Selective inhibition of *Leishmania* dihydrofolate reductase and *Leishmania* growth by 5-benzyl-2,4-diaminopyrimidines, 79
Smith, J.W., see Kennedy, M.W., 35
Stahl, H.-D., see Triglia, T., 199
Swyt, C.R., see Dvorak, J.A., 19
Symmons, P., see Köster, B., 183

Tierney, J., see Kennedy, M.W., 35
Tolson, D.L., see Richardson, J.P., 203
Triglia, T., Stahl, H.-D., Crewther, P.E., Silva, A., Anders, R.F. and Kemp, D.J.
Structure of a *Plasmodium falciparum* gene that encodes a glutamic acid-rich protein (GARP), 199

Vogel, M., Gottstein, B., Müller, N. and Seebeck, T.
Production of a recombinant antigen of *Echinococcus multilocularis* with high immunodiagnostic sensitivity and specificity, 117

Williamson, D.H., see Gardner, M.J., 11
Wilson, R.J.M., see Gardner, M.J., 11
Wilson, R.J.M., see Ling, I.T., 47

Yarlett, N. and Bacchi, C.J.
Effect of DL-α-difluoromethylornithine on polyamine synthesis and interconversion in *Trichomonas vaginalis* grown in a semi-defined medium, 1
Ye, P., see Kennedy, M.W., 35

Zea Flores, G., see Donelson, J.E., 241
Zeng, W., see Donelson, J.E., 241

Subject Index

β-*N*-Acetyl-D-galactosaminidase, 57
β-*N*-Acetyl-D-glucosaminidase, 57
S-Adenosylmethionine, 1
Adult worm, 263
Affinity elution, 141
Affinity-purified antibody, 163
Anisakis simplex, 35
Antifolate, 79
Antigen, 35, 57, 223
Antigen characterization, 163
Antigenic variation, 127
Antimalarial, 71
Arylamidase, 233
Ascaridoidea, 35
Ascaris lumbricoides, 35
Ascaris suum, 35
ATPase, 71

Bioenergetics, 141

Chagas' disease, 133
Cloned stock, 19
Crithidia luciliae, 107
Cycloguanil, 79
Cytoskeleton, 223

5-(substituted-benzyl)-2,4-Diaminopyrimidines, 79
Digestive vacuole, 71
Dihydrofolate reductase, 79
DL-α-Difluoromethylornithine, 1
Dirofilaria immitis, 173
DNA alkylation, 87
DNA sequence, 27
cDNA cloning, 117
cDNA library, 241
Drug mechanisms, 87
Drug resistance, 87
Duffy blood group, 217

Echinococcus multilocularis, 117
Egg-shell, 183
Elemental analysis, 19
Entamoeba histolytica, 27
Enzyme kinetics, 141
Enzyme purification, 141
Epicuticle solubilization, 173
Epimastigote stage, 19
Erythrocyte surface, 223
Excretory/secretory antigen, 35

Ferredoxin gene, 27
Filarioidea, 173
Fluconazole, 149

Gene expression, 183
Gene structure, 199
Genome size, 241
Genomic library, 97
Glucose metabolism, 107
Glucose-6-phosphate dehydrogenase, 47
Glutamic acid-rich protein (GARP), 199
Glycosidase, 57

High performance liquid chromatography, 1
^{1}H magnetic resonance spectroscopy, 107
Hycanthone, 87

Immunity, 251, 263
Immunoblotting, 163
Immunodiagnosis, 117
Immunodominant antigen, 241
Immunoelectrophoresis, 233
Immunoscreening, 241
Infective larva, 173
Itraconazole, 149

Ketoconazole, 149
Kinetoplastida, 107

Larval surface antigen, 173
Leishmania, 149
Leishmania major, 79
Leishmania mexicana, 97
Loa loa, 263
Loa loa microfilaria, 251

Malaria, 71, 217
Membrane glycoprotein, 163
Mitochondrial small subunit rRNA, 11
Monoclonal antibody, 173
Multigene family, 27

Nematode, 35, 263
Nucleoside analysis, 127
Nucleoside transport, 133

Onchocerca volvulus, 241

Peptidase, 233
Phosphorylation, 223
Plasmodium falciparum, 11, 71, 199, 223
Plasmodium falciparum malaria, 47
Plasmodium knowlesi, 11, 217
Polyamine, 1
Polyamine oxidase, 1
Procyclic trypanosome, 203
Procyclin, 203
Promastigote, 149
Protease, 233
Protein crosslinking, 183
Proteinase, 35
Purine, 133

Pyrimethamine, 79
Pyrimidine, 133
Pyruvate kinase, 141

Rabbit antisera, 233
Receptor, 217
Recombinant antigen, 117

Satellite DNA, 11
Schistosoma, 183
Schistosoma mansoni, 87, 163, 233
Sterol, 149
Succinate, 107
Surface antigen, 203, 251, 263
Surface-associated glycoprotein, 57

Telomere modification, 127
Toxocara canis, 35
Trichinella spiralis, 57
Trichomonas vaginalis, 1
Trimethoprim, 79
Trypanosoma brucei, 141
Trypanosoma brucei rhodesiense, 203
Trypanosoma cruzi, 19, 133
Trypanosome, 127
Tubercidin, 133
Tubulin, 97
β-Tubulin gene, 97

Unusual bases, 127
Unusual nucleosides, 127

Vitellarium, 183